

EXTERIOR

Applying Possibilities

sikkens

WOOD COATINGS

RUBBOL[®] WF 33XX RANGE

Protection, beauty and efficiency in your choice of finishes



WATERBORNE

TOPCOAT

AkzoNobel



RUBBOL® WF 33XX RANGE

CONTENTS

RUBBOL® WF 3300 & RUBBOL WF 3301	3-4
RUBBOL WF 3310, RUBBOL WF 3311 & RUBBOL WF 3390	5-7
Applications guide	10

The RUBBOL WF 33XX range from Sikkens Wood Coatings delivers endless possibilities in a single system.

This versatile range of opaque, waterborne single-pack topcoats for wooden joinery, doors and cladding provides excellent application properties, flow and hiding power – as well as premium levelling and excellent blocking resistance.

Available in semi-matt and semi-gloss finishes, RUBBOL WF 33XX products deliver a high quality surface and a great look and feel to any wooden doors, joinery or cladding.

They provide the best-ever protection, ensuring an extended lifetime and superb appearance. In this brochure, you'll find full details of the complete RUBBOL WF 33XX range. If you're looking for premium results with lower costs and less rework, the RUBBOL WF 33XX range will help you achieve your goals.

AKZONOBEL WOOD COATINGS COLOUR SYSTEM

OUR COLOUR SYSTEM PROVIDES
YOU WITH A COMPLETE SOLUTION

Colours for interior and exterior waterborne and solventborne wood coatings

The AkzoNobel standard collection includes RAL, NCS, Sikkens 5051, which allows us to offer a wide range of colours. In addition to this, you can combine these colours to create completely individual tones using the spectrophotometer and our software.

Our quality control department checks every batch of basecoats and colourants to guarantee a very high reproducibility of colours.

For more information, please visit:
sikkens-wood-coatings.com/colours



RUBBOL WF 3300 & RUBBOL WF 3301

DELIVERING EXCELLENT PROTECTION AGAINST SCRATCHES, DIRT AND WEATHERING

External wooden doors are the high-profile showpiece for every house. For the best protection of wooden surfaces subject to heavy wear, we've developed a single-pack midcoat and topcoat: RUBBOL WF 3300. Thanks to our formulation, it's now possible to achieve a long-lasting finish, with a pristine look and velvety feel more usually found on furniture.

RUBBOL WF3301 is the thixotropic version of RUBBOL WF 3300 that allows you to apply thicker layers of 300 microns in just one coat.

Furniture-like surface and velvety feel

RUBBOL WF 3300 delivers a smooth, even surface that's high quality and exceptionally beautiful in both look and feel.

Outstanding scratch resistance


With RUBBOL WF 3300, scratches from key rings, belt buckles, rivets and, of course, toy cars, no longer stand a chance.

Excellent spreading properties

During application, RUBBOL WF 3300 stands out with its perfect spreading properties. This allows a furniture-like surface to be achieved on large surfaces, with a recommended wet layer thickness of just two times 150 µm.

PERFORMANCE COMPARISON

RUBBOL® WF 3300
Competitor A
Competitor B



RUBBOL® WF 3300-03-XX



1K waterborne midcoat and topcoat

Opaque midcoat and topcoat for wooden front doors.

- Good weather resistance
- Improved scratch resistance
- Good hiding power

Type of binder	Acrylic	
Main areas of use	Wooden constructions: stable	
Tintable	Yes	
Application	Spray application airmix/airless 	
Thinner	Water	
Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (20)	9 l / 18 l
Base B01 white	Semi-matt (20)	4.5 l / 9 l / 18 l

RUBBOL® WF 3301-03-XX



1K waterborne midcoat and topcoat

Opaque thixotropic midcoat and topcoat for wooden front doors.

- Thixotropic version of RUBBOL WF 3300
- Good weather resistance
- Improved scratch resistance
- Good hiding power

Type of binder	Acrylic	
Main areas of use	Wooden constructions: stable	
Tintable	Yes	
Application	Spray application airmix/airless 	
Thinner	Water	
Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (20)	4.5 l / 9 l / 18 l
Base B01 white	Semi-matt (20)	4.5 l / 9 l / 18 l
RAL 9016	Semi-matt (20)	5 l / 20 l

RUBBOL WF 3310, RUBBOL WF 3311 & RUBBOL WF 3390



NEW-GENERATION EFFICIENCY WITH BEST IN CLASS PROTECTION

Modern, high-quality wooden window frames add beauty and value to newly built and refurbished homes. RUBBOL WF 3310 enables both quality and efficiency in window production. Available in semi-matt or semi-gloss, the easy-to-spray midcoat and topcoat provides long-lasting protection and beautiful surfaces even when applied in exceptionally thin layers. It offers excellent resistance against metal marking, scratches and weathering, and is suitable for both hardwood and softwood.

RUBBOL WF 3311 is the thixotropic version of RUBBOL WF 3310 that allows you to apply thicker layers of 300 microns in just one coat. RUBBOL WF 3390 is the metallic version of RUBBOL WF 3310

Engineered for efficiency

With its good flow, excellent levelling and hiding power, RUBBOL WF 3310 is engineered to deliver consistent, high-quality finishes and ensure smooth manufacturing processes. It also features outstanding block resistance, so frames can be stacked easily. The coating is suitable for both airless and air-assisted spraying.

A great look and feel


Thanks to its binder, RUBBOL WF 3310 gives window frames a high-quality finish. Whether semi-gloss or semi-matt, it adds lasting appeal to wooden joinery and cladding.

Durability to rely on

Backed by extensive testing in the harshest extreme weather environments, RUBBOL WF 3310 is covered by the Sikkens Wood Coatings warranty. This means you can confidently promise extended maintenance intervals and enhance the value of your products.

PERFORMANCE COMPARISON

— RUBBOL® WF 3310-03-25
— Competitor A
— Competitor B
— Competitor B



RUBBOL® WF 3310-03-XX



1K waterborne midcoat and topcoat

Opaque midcoat and topcoat for wooden constructions.

- Good hiding power
- Excellent weather resistance
- No dirt pick-up

Type of binder	Acrylic
Main areas of use	Wooden constructions: semi-stable, stable
Tintable	Yes
Application	Spray application airmix/airless 
Thinner	Water

Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (25)	4.5 l / 9 l / 18 l / 1000 l
Base B00 neutral	Semi-gloss (35)	4.5 l / 9 l / 18 l / 1000 l
Base B01 white	Semi-matt (25)	4.5 l / 9 l / 18 l / 1000 l
Base B01 white	Semi-gloss (35)	4.5 l / 9 l / 18 l / 1000 l
S4550-Y80R	Semi-matt (25)	20 L
RAL 6009	Semi-matt (25)	20 l
RAL 7016	Semi-matt (25)	20 l
RAL 7035	Semi-matt (25)	20 l
RAL 8016	Semi-matt (25)	20 l
RAL 9001	Semi-matt (25)	20 l
RAL 9005	Semi-matt (25)	20 l / 120 l
RAL 9016	Semi-matt (25)	20 l / 1000 l

RUBBOL® WF 3310-04-XX



1K waterborne midcoat and topcoat

Opaque midcoat and topcoat for wooden constructions.

- Good hiding power
- Good levelling
- Good weather resistance

Type of binder	Acrylic
Main areas of use	Wooden constructions: non-stable, semi-stable, stable
Tintable	Yes
Application	Brushing 
Thinner	Water

Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (25)	0.9 l / 2.25 l / 9 l
Base B00 neutral	Semi-gloss (35)	0.9 l / 2.25 l / 9 l
Base B01 white	Semi-matt (25)	0.9 l / 2.25 l / 9 l
Base B01 white	Semi-gloss (35)	0.9 l / 2.25 l / 9 l

RUBBOL® WF 3310-06-XX



1K waterborne midcoat and topcoat

Opaque midcoat and topcoat for wooden constructions.

- Good hiding power
- Good levelling
- Good weather resistance

Type of binder	Acrylic	
Main areas of use	Wooden constructions: non-stable, semi-stable	
Tintable	Yes	
Application	Vaccum coater / vacumat 	
Thinner	Water	
Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (25)	2.25 l / 9 l / 18 l / 96 l / 1000 l
Base B01 white	Semi-matt (25)	2.25 l / 9 l / 18 l / 96 l / 1000 l
RAL 9016	Semi-matt (25)	20 l / 120 l / 1000 l
RAL 7035	Semi-matt (25)	120 l
RAL 9001	Semi-matt (25)	1000 l

RUBBOL® WF 3311-03-XX



1K waterborne midcoat and topcoat

Opaque thixotropic midcoat and topcoat for wooden constructions.

- Thixotropic version of RUBBOL WF 3310
- Good hiding power
- Good levelling
- Excellent weather resistance
- No dirt pick-up

Type of binder	Acrylic	
Main areas of use	Wooden constructions: semi-stable, stable	
Tintable	Yes	
Application	Spray application airmix/airless 	
Thinner	Water	
Colour shade	Gloss level @ 60°	Packsize
Base B00 neutral	Semi-matt (25)	4.5 l / 9 l / 18 l / 54 l / 96 l / 1000 l
Base B00 neutral	Semi-gloss (35)	4.5 l / 9 l / 18 l
Base B01 white	Semi-matt (25)	4.5 l / 9 l / 18 l / 54 l / 96 l / 100 l
Base B01 white	Semi-gloss (35)	4.5 l / 9 l / 18 l
RAL 9016	Semi-matt (25)	20 l / 60 l / 120 l / 1000 l
RAL 9016	Semi-gloss (35)	20 l / 60 l / 1000 l
S0502-Y	Semi-matt (25)	20 l / 1000 l

RUBBOL WF 3390-03-XX




1K Waterborne topcoat

Metallic midcoat and topcoat for wooden constructions.

- Metallic version of RUBBOL WF 3310
- Good levelling
- Easy to apply
- Tintable to 6 ready mixed colourshades

Type of binder	Acrylic	
Main areas of use	Wooden constructions: stable	
Tintable	Yes	
Application	Spray application airmix/airless 	
Colour shade	Gloss level @ 60°	Packsize
White aluminium metallic	Semi-matt (25)	10 l





APPLICATIONS GUIDE

CHECK WHICH PRODUCTS IN THE RUBBOL WF 33XX RANGE ARE BEST SUITED TO YOUR NEEDS

EXTERIOR DOORS

Method	Application	Gloss	Product
Spray	2 layers (2x max. 150µm wet)	Semi-matt	RUBBOL® WF 3300-03-20
	1 layer (1x max. 300µm wet)		RUBBOL® WF 3301-03-20

WINDOWS

Method	Application	Gloss	Product
Spray	2 layers (2x max. 150µm wet)	Semi-matt	RUBBOL® WF 3310-03-25
		Semi-gloss	RUBBOL® WF 3390-03-25
	1 layer (1 x max. 300µm wet)	Semi-matt	RUBBOL® WF 3311-03-25
		Semi-gloss	RUBBOL® WF 3311-03-35
Brush		Semi-matt	RUBBOL® WF 3310-04-25
			RUBBOL® WF 3310-04-35

CLADDING, PROFILE BOARDS, WINDOWS AND GARDEN UTILITIES

Method	Application	Gloss	Product
Spray, brush or vacumat	1-2 layers (max. 150µm wet)	Semi-matt	RUBBOL® WF 3310-06-25



www.akzonobel.com

We supply the sustainable and innovative paints and coatings that our customers, communities – and the environment – are increasingly relying on. Our world class portfolio of brands – including Dulux, International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and have set our sights on becoming the global industry leader. It's what you'd expect from a pioneering paints company that's committed to science-based targets and is taking genuine action to address globally relevant challenges and protect future generations.

For more information please visit www.akzonobel.com.

© 2023 Akzo Nobel N.V. All rights reserved.

sikkens
WOOD COATINGS



sikkens-wood-coatings.com